GOLDRING
ESTABLISHED 1906

GOLDRING GR3

New premium belt-driven turntable



GR3 represents Goldring's stylish re-entry into the turntable arena

Goldring, a globally recognised name in the world of analogue audio and renowned for its precision-engineered phono cartridges, announces the GR3, its first turntable in more than 20 years. This new turntable marks a significant return for Goldring, bringing together the company's century-old legacy with modern-day convenience.

Developed in collaboration with a renowned British hi-fi manufacturer, GR3 is equipped with the multiple award-winning Goldring E3 moving magnet cartridge, offering true plug-and-play functionality. Its built-in phono pre-amplifier allows seamless compatibility with any amplifier or powered speaker, making it an ideal companion for products from sister company, Q Acoustics, such as its award-winning M20 and M40 powered stereo speakers. Additionally, GR3 comes with a choice of high-quality interconnects from Goldring's other world-renowned sister brand QED, ensuring a vigorous connection and sound quality.

GOLDRING
ESTABLISHED 1906



KEY FEATURES

PRE-FITTED WITH A GOLDRING E3 MOVING MAGNET CARTRIDGE

This serial award-winning cartridge comes pre-installed and perfectly aligned on the GR3 tonearm, offering a balanced, refined and dynamic sonic performance.

BUILT-IN PHONO STAGE

For maximum convenience, GR3's integrated pre-amplifier enables effortless connections to any amplifier or powered speaker of choice.

PHENOLIC RESIN PLATTER

Designed to maximize the flywheel effect, the platter ensures consistent rotational speed for enhanced audio fidelity.

CHOICE OF QED INTERCONNECTS

Goldring provides a choice of either a 1.5m phono-to-phono or a 3m phono-to-3.5mm cable from QED, one of the most respected names in audio interconnects and cables, ensuring optimal connection and sound quality.

ELEGANT DESIGN

GR3 pairs premium performance with a high-gloss black plinth and perspex dust cover, offering a sophisticated aesthetic that matches its superior sound.



GOLDRING
ESTABLISHED 1906

TECHNICAL SPECIFICATION

Tonearm	Hand assembled and carefully matched tonearm
Cartridge	Factory-fitted Goldring E3 moving magnet cartridge
Motor	24 Volt low noise, low vibration motor
Plinth	Gloss Black finish with Goldring gold branding
Platter	Phenolic resin with flywheel mass on the rim
Phono amp RIAA accuracy	(100 Hz to 20 kHz) ±0.4 dB *Typically better than ±0.25 dB*
Dimensions (lid closed) (W x H x D)	450 x 120 x 360 mm
Weight (unpacked)	5.5 kg

PRODUCT CODES AND SRPs

GL0310 GOLDRING GR3 TURNTABLE & E3 CARTRIDGE UK	£699
GL0310E GOLDRING GR3 TURNTABLE & E3 CARTRIDGE EU	€899
GL0310A GOLDRING GR3 TURNTABLE & E3 CARTRIDGE AU	TBC
GL0310U GOLDRING GR3 TURNTABLE & E3 CARTRIDGE US	$999



GOLDRING
ESTABLISHED 1906

SUGGESTED SYSTEMS

Complete a vinyl system with these bundle options



Q Acoustics M40 powered speakers

Powerful floorstanders with an ultra-compact micro-tower design

Features:

- **Acoustics**
  2 x 125 mm (5.0 in) C³ mid/bass unit;
  1 x 22 mm (0.9 in) tweeter
- **Inputs**
  2x phono; 3.5mm Jack; USB type B at 24 bit /192 kHz;
  Toslink at 24 bit /192 kHz
- **Wireless**
  Bluetooth 5.0 aptX™, aptX™ HD, aptX™ Low Latency,
  SBC, AAC
- **Amplification power**
  2 x 50 W RMS; 2 x 100 W peak power



Q Acoustics M20 powered speakers

Compact, versatile and dynamic tabletop or standmount speakers

Features:

- **Acoustics**
  1 x 125 mm (5.0 in) mid/bass unit; 1 x 22 mm (0.9 in) tweeter
- **Inputs**
  2x phono; 3.5mm Jack; USB type B at 24 bit/192 kHz;
  Toslink at 24 bit/192 kHz
- **Wireless**
  Bluetooth 5.0 aptX™, aptX™ HD, aptX™ Low Latency,
  SBC, AAC
- **Amplification power**
  2 x 32 W RMS; 2 x 65 W peak power

Please contact your local Areas Sales Manager for further information:

E: sales@armourhome.co.uk
T: +44 (0)1279 50 11 11